

- [18] Felby C, Thygesen LG, Sanadi A, Barsberg S. (2004). Native lignin for bonding of fiber boards: Evaluation of bonding mechanisms in boards made from laccase-treated fibers of beech (*Fagus sylvatica*). *Industrial Crops and Products* 20: 181-189. <https://doi.org/10.1016/j.indcrop.2004.04.020>
- [19] Anglès MN, Reguant J, Montané D, Ferrando F, Farriol X, Salvadó J. (1999). Binderless composites from pretreated residual softwood. *Journal of Applied Polymer Science* 73: 2485-2491. [https://doi.org/10.1002/\(SICI\)1097-4628\(19990919\)73:123.0.CO;2-G](https://doi.org/10.1002/(SICI)1097-4628(19990919)73:123.0.CO;2-G)
- [20] Anglès MN, Ferrando F, Farriol X, Salvadó J. (2001). Suitability of steam exploded residual softwood for the production of binderless panels. Effect of the pretreatment severity and lignin addition. *Biomass and Bioenergy* 21: 211-224. [https://doi.org/10.1016/s0961-9534\(01\)00031-9](https://doi.org/10.1016/s0961-9534(01)00031-9)
- [21] Quintana G, Velásquez J, Betancourt S, Gañán P. (2009). Binderless fiberboard from steam exploded banana bunch. *Industrial Crops and Products* 29: 60-66. <https://doi.org/10.1016/j.indcrop.2008.04.007>
- [22] Velásquez JA, Ferrando F, Farriol X, Salvadó J. (2003). Binderless fiberboard from steam exploded *Miscanthus sinensis*. *Wood Science and Technology* 37: 269-278. <https://doi.org/10.1007/s00226-003-0182-8>
- [23] Xu J, Widyorini R, Yamauchi H, Kawai S. (2006). Development of binderless fiberboard from kenaf core. *Journal of Wood Science* 52: 236-243. <https://doi.org/10.1007/s10086-005-0770-3>
- [24] Theng D, Arbat G, Delgado-Aguilar M, Ngo B, Labonne L, Evon PH, Mutjé P. (2017). Comparison between two different pretreatment technologies of rice straw fibers prior to fiberboard manufacturing: Twin-screw extrusion and digestion plus defibration. *Industrial Crops and Products* 107: 184-197.
- [25] Pintiaux T, Viet D, Vandenbossche V, Rigal L, Rouilly A. (2015). Binderless materials obtained by thermocompressive processing of lignocellulosic fibers: A comprehensive review. *BioResources* 10: 1915-1963.
- [26] van Soest PJ, Wine RH. (1967). Use of detergents in the analysis of fibrous feeds. IV. Determination of plant cell wall constituents. *Journal of AOAC International* 50: 50-55.
- [27] van Soest PJ, Wine RH. (1968). Determination of lignin and cellulose in acid detergent fiber with permanganate. *Journal of AOAC International* 51: 780-784.
- [28] Beaumont O. (1981). *Pyrolyse extractive du bois*. Thèse de Doctorat de 3ème Cycle, École Normale Supérieure des Mines de Paris.
- [29] Hatakeyama T, Hatakeyama H. (2004). *Thermal properties of green polymers and biocomposites*, Kluwer Academic Publishers, Dordrecht.
- [30] Hidayat H, Keijsers ERP, Prijanto U, van Dam JEG, Heeres HJ. (2014). Preparation and properties of binderless boards from *Jatropha curcas* L. seed cake. *Industrial Crops and Products* 52: 245-254. <https://doi.org/10.1016/j.indcrop.2013.10.024>
- [31] Lalou A. (1995). *Mise au point d'un procédé d'extraction des hémicelluloses à partir d'un substrat végétal lignocellulosique: application au cas des coques de tournesol*. Thèse de Doctorat en Sciences des Agroressources, Institut National Polytechnique de Toulouse.
- [32] Schaffer EL. (1973). Effect of pyrolytic temperatures on the longitudinal strength of dry Douglas-fir. *Journal of Testing and Evaluation* 1(4): 319-329.
- [33] Uitterhaegen E, Nguyen QH, Merah O, Stevens CV, Talou T, Rigal L, Evon PH. (2016b). New renewable and biodegradable fiberboards from a coriander press cake. *Journal of Renewable Materials* 4(3): 225-238. <https://doi.org/10.7569/JRM.2015.634120>